

Nigerian Journal of Medical and Dental Education

Overview

Nigerian Journal of Medical and Dental Education is a collaborative peer reviewed scientific publication of the Network for Oral and Maxillofacial Infections, Oncology and Traumatology in Nigeria® with Department of Periodontics & Pure and Applied Dental Oral and Craniofacial Research Society (PADOCRS), Health Sciences Research Group (HESRG), University of Benin, Benin City, Edo State; Community Dental Health Unit of Department of Preventive Dentistry, University of Port Harcourt, River State; Department of Oral and Maxillofacial Surgery, Bayero University Kano, Kano State and Department of Oral and Maxillofacial Surgery, University of Jos, Jos, Plateau State.

- This journal welcomes high quality papers on all aspects of health professional education including; undergraduate education, postgraduate training, continuing professional development and interprofessional education. As such, all issues of current interest, including teaching methods, curriculum reform, the training of medical/dental teachers, the selection of entrants and assessment techniques, are covered.
- The readership consists primarily of teachers of medicine/dentistry, medical/dental educators, administrators of medical/dental faculties, medical/dental workers and researchers involved in the development of medical/dental education as a whole.

Two issues of Nigerian Journal of Medical and Dental Education (*NJMDE*) are published annually covering January-June and July-December.

Aims and Scope

Nigerian Journal of Medical and Dental Education is an open access, peer-reviewed journal that publishes a wide variety of educational and scientific research in medical/dental, allied medical/dental and advanced medical/dental education.

- *NJMDE* seeks to be the pre-eminent journal in the field of education for health care professionals, and publishes material of the highest quality, reflecting worldwide or provocative issues and perspectives.
- *NJMDE* as the premier and authoritative journal for academic Medicine and Dentistry in Nigeria, it publishes articles on such topics as curriculum reform, education research methods, innovative educational and assessment methodologies, faculty development, community-based medical/dental education, student recruitment and admissions, professional and educational ethics, medical dental education around the world and systematic reviews of educational interest. .
- *NJMDE* seeks to become one of the top ranked journals in the medical and dental education and to emerge one of the major fora for teachers of medicine and dentistry in Nigeria and worldwide.
- *NJMDE* offers high quality international peer review and prompt feedback on all papers submitted. *It possesses* international calibrated experts as her editorial team and offers rapid turnaround of manuscripts with decisions on most submitted manuscripts given within 6 weeks.

Journal Ethics

Nigerian Journal of Medical and Dental Education is committed to maintaining the standards of ethical behaviour at all stages of publication process following the set standards and guidelines by Committee on Publication Ethics (COPE), International Committee of Medical Journal Editors (ICMJE) and World Association of Medical Editors (WAME).

EDITORIAL BOARD

Co-Editor-in-Chief

F Chukwuneke

Department of Oral and Maxillofacial Surgery
University of Nigeria, Enugu Campus, Enugu State

CC Azodo

Department of Periodontics

University of Benin, Benin-City, Edo State

Deputy Editor

ED Odai

Department of Oral and Maxillofacial Surgery
University of Benin, Benin-City Edo State

Editors

OB Braimoh

Department of Preventive Dentistry
University of Port-Harcourt, Port-Harcourt, Rivers State

Jiya NM

Department of Paediatrics

Usmanu Danfodiyo University, Sokoto, Sokoto State

AM Kodiya

Department of ENT, Head and Neck Surgery

University of Maiduguri, Maiduguri, Borno State

AN Odili

Department of Internal Medicine

University of Abuja, Nigeria.

JO Omoaregba

Psychiatric Hospital Uselu, Edo State

A. Omorogiuwa

Department of Physiology

University of Benin, Benin-City Edo State

KC Ekwueme

Department of Urology,

Wirral University Teaching Hospital, Wirral, UK.

N Osazuwa-Peters

Cancer Center St. Louis University, United States of America

C Chhabra

Department of Pedodontics and Preventive Dentistry

MM College of Dental Sciences and Research, Mullana, Ambala, Haryana, India

MA Agbor

Department of Preventive and Community Dentistry

Universite des Montagnes, Cameroon

Editorial Advisers

ON Obuekwe

Department of Oral and Maxillofacial Surgery

University of Benin, Benin-City, Edo State

Enquiries and subscription request should be directed

Nigerian Journal of Medical and Dental Education office

Department of Periodontics, University of Benin

editornjmde@nomiot.com.ng or editornjmde@gmail.com

TABLE OF CONTENT

Content	Page
Adermatoglyphia, A Biometric Identification Nightmare in a Developing Country. A Case Report of Finger Prints Challenge Ehizonaga JI, Babalola O, Eidangbe S, Ehikhamenor E	1
Comparison of Oral Hygiene Status of Adult Individuals using Charcoal Toothbrushes and Regular Nylon Toothbrushes in a Nigerian Health Facility Amuh VO, Ehizele AO, Esezobor R	6
The Pattern of Utilization of Insecticide Treated Nets among Children Emergency Room attendees in a tertiary hospital in Sagamu, Nigeria. Akodu SO, Adekanmbi AF, Ogunlesi TA, Oba-Daini OO, Asare TD	16
Inter-Professional Harmony: An Evaluation of the Knowledge and Perception of Family Physicians by Other Healthcare Staff in a Tertiary Hospital in Nigeria Enabulele O	23
Antimicrobial Stewardship Practice in Tertiary Hospitals of North Central Region of Nigeria Peter YJ, Yakubu MM	35
Author Guidelines	43

Adermatoglyphia, A Biometric Identification Nightmare in a Developing Country. A Case Report of Finger Prints Challenge

*EHIZONAGA JI, **BABALOLA O,
***EIDANGBE S, *EHIKHAMENOR E

*Center for Forensic Program and DNA Studies,
School of Dentistry, University of Benin, Benin
City, Edo State, Nigeria.

**Department of Family Dentistry, University of
Benin Teaching Hospital, Benin City, Edo State,
Nigeria.

***Department of Family Dentistry, Edo
Specialist Hospital, Benin-City, Edo State

ABSTRACT

Objective: The case report describes the biometric finger print challenges faced by adermatoglyphia in a situation that uses only fingerprint as the biometric identifier.

Case Report: A 17-years old girl who presented with complaint of not having fingerprint and as such cannot enroll for her Joint Admission and Matriculation Board examination (JAMB). She claimed to always have peeling of her palms and itching without rash during dry season. Clinical examination revealed near absence of frictional ridges on all her fingers and palms. No other abnormalities detected clinically. Diagnosis of Adermatoglyphia was made and the patient was referred to Center for Forensic Program and DNA Studies where incomplete absence of fingerprint was confirmed. The toe print and lip prints which were completely present were evaluated, captured, classified and suggested to be used as biometric identifiers for this patient.

CONCLUSION: The need to promote awareness of adermatoglyphia among the populace and the inclusion of other biometric identifiers in agencies where biometric identification is required is further emphasize in this case report in order to ameliorate the plight of adermatoglyphia.

Correspondence

Dr. J.I. Ehizonaga
Center for Forensic Program and DNA
Studies
School of Dentistry
University of Benin
Benin City, Edo State
Nigeria
Email: ivie.ehizonaga@uniben.edu

Keywords: Adermatoglyphia, finger print, Forensic, Nigeria

INTRODUCTION

Dermatoglyphics (from the roots "derma" for skin and "glyphos" for carvings) is the study of various integumentary ridge patterns that form on fingertips (Dactyloscopy), toes, palms of the hands, and soles of the feet (Sarfraz, 2019). While Adermatoglyphia also known as "immigration delay disease" is medically defined as the congenital or an acquired loss of these integumentary ridge patterns (Burger et al., 2011). This condition may be limited to a few digits or all fingers and may also be partial loss of the ridges (i.e., ridges are unnoticeable on general evaluation but noticed on deeper inspection or under a magnifying len) or a complete absence (depicting complete effacement) of epidermal ridges. Adermatoglyphia can also described the absence of the ridge patterns formed on the plantar aspects

of the feet (Sarfraz, 2019). Fingerprinting is the most widely utilized method for human identification and authentication. It forms a vital component of a personal profile and bio data. Most government and private sectors seeking personal biometric information require individuals to be fingerprinted to complete routine biometric record and documentation (Bhat et al., 2014).

Citation: Ehizonaga JI, Babalola O, Eidangbe S, Ehihamenor E (2025). Adermatoglyphia, A Biometric Identification Nightmare in a Developing Country. A Case Report of Finger Prints Challenge. Nig J Med Dent Educ; 7(1):1-5.

Adermatoglyphia (involving the fingers) can present time-consuming challenges to both the authorities and individual concerned in completing verification process (Sarfraz, 2019).

This article presents a rare case of 17-years old female with congenital adermatoglyphia involving only the fingers and palms and whose toe prints and lip prints (among other biometric identifiers) can serve as alternative prints for biometric identification.

CASE REPORT

A 17-years old female who presented to Oral diagnosis department to see her aunt who is a resident of the department with the chief complaint of not having finger print and this have deprived her from enrolling for Joint Admission Matriculation Board (JAMB) examination as the fingerprinting machine could not capture her finger

prints. Several finger print scanners were used but none could capture and as such her biometric information were not recorded. No history of chemical burns/ trauma to the fingers and no known family member with same condition. She claimed to always experience peeling of her palms during dry season and itching without rashes whenever she changes environment or bathing soap. She was never aware of her lack of finger print until she recently had problem in performing her JAMB biometric.

On clinical examination, patient appears clinically fit except near absence of frictional ridges of all her fingers and palms





Figure 1: shows absence of frictional ridges/prints on the fingers .



Figure 2: shows the presence of toe and plantar frictional ridges

A diagnosis of Adermatoglyphia (isolated case) was made. The patient was referred to Center for

Forensic Program and DNA Studies (a unit in the Department) where patient's fingerprints were

acquired manually with ink pad, digitally amplified and analyzed. This revealed poorly displayed plain arch fingerprint only at the tip of the fingers. A diagnosis of INCOMPLETE ADERMATOGLYPHIA was made. Management was aimed at medically/forensically certifying that this patient has this rare condition (Incomplete adermatoglyphia) and suggest other

biometric identifiers that can be used for this patient. The toe and lip prints were manually acquired, digitalized and analyzed. An official document stating that the patient has adermatoglyphia and her toes or lip prints should be use whenever there is need for biometrics requiring print and this was sent to JAMB and any other authorities as the case may be.




Fig 3: shows poorly displayed plain arch finger prints only at the tip of the finger. (Using Galton–Henry classification)




Figure 4: shows plain arch type of the left and right toes prints. The lip print was also obtained with red lip balm, digitalized and analyzed.



Figure 5: shows type 1 (complete vertical) lip print using Suzuki & Tsuchihashi (1970) classification of lip print.

DISCUSSION

This biometric system assesses specific attributes related to a person and compares it to already existing library of databases belonging to many people in person's identification (Ross & Jain, 2004). The regularly used physiological biometric identifiers include fingerprint, face recognition, iris, hand geometry, palmprint and gait (Ross & Jain, 2004). Finger prints is an impression of the frictional ridges of a part or all part of the fingers and are genetically determined and remain unchanged till death (Rastogi & Pillai, 2010) They are vital dermatological landmarks with important applications in medicine, forensics, anthropology, and security (Bose & Kabir, 2017; Kanchan & Krishan, 2018).

Adermatoglyphia can be congenital or acquired. The congenital form (primary type) is extremely rare genetic disorder caused by mutations in the *SMARCAD1* gene. It can present as isolated case or associated with other conditions like certain type of ectodermal dysplasia (Nousbeck et al., 2014). While the acquired form can be due to dermatological conditions such as eczemas (e.g., contact dermatitis), blistering diseases (e.g. pemphigus vulgaris), disorders of keratinization

(e.g., psoriasis) and infections (e.g leprosy) or non-dermatological causes which include trauma, burns, amputations and use of potent corticosteroids (Sergeant et al., 2012). This patient had the isolated congenital form as there was no other associated medical condition or any history of being involved in conditions that can cause adermatoglyphia.

There is paucity of information on the prevalence of this condition in the literature as most reported cases are isolated cases with challenges with biometric process involving the use of finger print such as the case being reported. The first reported case in Nigeria was in Benue state, where a Christian pilgrim was denied the e-passport by the Nigeria Immigration (Onyemocho et al., 2015). And in this case, a female Nigerian have been denied enrolment of the Joint Admission and Matriculation Board (JAMB) examination which is necessary for her to continue her tertiary education due to this condition.

Adermatoglyphia can present as be partial loss of the ridges (i.e., ridges are unnoticeable on general evaluation but detectable on deep inspection or under a magnifying lamp) or a total absence of epidermal ridges (Sarfraz, 2019). This patient had a

partial loss as few epidermal ridges (though very faint) were noticeable only at the tip of the fingers and the print acquired with the use of ink pad. Sufferers of this condition such as in this case have challenges in completing biometric process involving the use of finger print for biometric identification and verification hence it has being termed "immigration delay disease" by Professor Peter Itin after his first patient had trouble traveling to the USA due to failure to get finger printed (Burger et al., 2011). Biometric method using fingerprinting is the most generally used method for human identification and authentication by most government and private sectors in this part of the world. Persons who cannot be finger printed are faced with serious challenges such as postponement, interruption or even rejection when dealing with identification and verification process. These challenges can become a nightmare to the sufferers if alternative biometric identifier is not used for them. Hence the need to increase awareness of adermatoglyphia among the populace and especially personnels working in these agencies that deals with biometric identification and verification. Also, alternatives such as lip print, toe print or other biometric identifiers acquisition machine that can be used for these individuals.

CONCLUSION

Challenges associated with adermatoglyphia are not only limited to the sufferers alone, but also the authorities involved especially in the absence of other alternatives. Hence, through this communication, there is need for more public awareness of this rare condition and promotion of all aspects of biometric architecture that human beings possess that can be used as alternative biometric identifier in case of failure of any components. This will ameliorate the challenges faced by persons with adermatoglyphia

REFERENCES

- Bhat GM, Mukhdoomi MA, Shah BA, Ittoo MS (2014): Dermatoglyphics: in health and disease – a review. *Int J Res Med Sci.*; 2(1):31-37.
- Bose PK, Kabir MJ (2017). Fingerprint: A unique and reliable method for identification. *J. Enam Med. Coll*; 7(1):29-34.
- Burger B, Fuchs D, Sprecher E, Itin P (2011): The immigration delay disease: Adermatoglyphia inherited absence of epidermal ridges. *J Am Acad Dermatol*; 64(1):974-980.
- Henry, E (1900).: *Classification and Uses of Finger Prints*. Routledge, London.
- Kanchan T, Krishan K (2018). Loss of fingerprints: Forensic implications. *Egyptian J. Forensic Sci*; 8(1): 19-11.
- Nousbeck J, Sarig O, Magal L, Warshauer E, Burger B, Itin P, et al (2014). Mutations in SMARCD1 cause autosomal dominant adermatoglyphia and perturb the expression of epidermal differentiation-associated genes. *Br J Dermatol*; 171(1):1521-1524.
- Onyemocho A, Omala E, Onum E, Anigilaje E (2015). Adermatoglyphia; A cause of serious delay in issuance of Immigration e-passport to a christian pilgrim in Nigeria: A case report. *Int J Adv. Case Reports*; 2(12):732-735.
- Rastogi P, Pillai KR (2010). A study of finger prints in relation to gender and blood groups. *J Indian Acad Forensic Med*; 32(1):11-14.
- Ross A, Jain AK (2004). Biometrics: When Identity Matters. In: Li S.Z, Lai J, Tan T, Feng G, Wang Y. (eds) *Advances in Biometric Person Authentication*. SINOBIOMETRICS. Lecture Notes in Computer Science, vol 3338. Springer, Berlin, Heidelberg.
- Sarfraz N (2019). Adermatoglyphia: Barriers to Biometric Identification and the Need for a Standardized Alternative. *Cureus*; 11(2): e4040. doi 10.7759/cureus.4040.
- Sergeant A, McPhee N, Holme SA (2012). Acquired loss of fingerprints: Do topical corticosteroids play an aetiological role? *Clin Exp Dermatol*; 37(1): 679-680.
- Suzuki K, Tsuchihashi Y (1970) New attempt of personal identification by means of lip print. *J Indian Dent Assoc*; 42(1): 8-9.